

2023 ————— 24

Golden

Bullet[®]



www.goldenbullet.co.in

About Our Products

Golden Bullet products are synonymous with good quality and value for money prices.

The range of Golden Bullet products include power tools, hand tools, wood working tools, abrasives, diamond blades, TCT Saws and various power tool accessories. The range is continuously evolving to offer more and more products that artisans require to improve and simplify their work.

Popular and reputed brands attract fakes and copies. Our brand has been no exception. We have, however sought to discourage this by giving each and every buyer the power to check the genuineness of the product by a simple WhatsApp message.

Every Golden Bullet product has a hologram with a unique code number. A simple WhatsApp by the buyer, to  +91-9223575757 with the code gets a reply confirming whether the product is original or duplicate. It is an effective and foolproof method to safeguard against counterfeits. We have put adequate details and instructions on our packaging to help you through the simple procedure of messaging.

We hope you have a good experience using our products. Should you wish to share any of your experiences please feel free to write to us on care@goldenbullet.co.in

Please refer to the last page of this catalogue for 'Scratch and Win' details and photos of bike winners.

Golden Bullet[®]

CONTENTS

Sr. No.	PRODUCTS	Page No.
1.	CORDLESS (BATTERY/DC) POWER TOOLS	02-03
2.	ELECTRIC (CORDED/AC) POWER TOOLS	04-14
3.	GASOLINE (PETROL) POWER TOOLS	15-17
4.	POWER TOOL SPARES	18-20
5.	ABRASIVES	21-28
6.	CIRCULAR DIAMOND SAW BLADES	29-32
7.	CIRCULAR TCT SAWS	33-35
8.	POWER TOOL ACCESSORIES & HAND TOOLS	36-53
9.	ROUTER AND TRIMMER BITS	54-59

CORDLESS (BATTERY/DC) POWER TOOLS



SCREWDRIVER & DRILL

CSAD 1551



Battery : **12V, 1.5Ah**
 Charger : 1.0A
 Motor : Brush Motor
 Capacity : 10mm
 Torque setting : 25+1
 2 speed setting : 0-350, 0-1500rpm



Top Quality Batteries



LED Indicator Light

SCREWDRIVER & DRILL

CSAD 1332



Battery : **12V, 1.3Ah**
 Charger : 0.5A
 Motor : Brush Motor
 Capacity : 10mm
 Torque setting : 16+1
 2 speed setting : 0-350, 0-1500rpm



Safety Handle



Dual Switch Safety Start



LED Light

CHAINSAW (MINI)

CMC4-A



Battery : **20V, 1.5Ah**
 Charger : 0.5A
 Motor : Brush Motor
 Guide Bar : 130mm
 Cutting Depth : 100mm
 Chain Speed : 5.5mtrs/sec



Safety Handle



Dual Switch Safety Start



LED Light

IMPACT WRENCH

CIW 4291



Battery : **21V, 3.0Ah**
 Charger : 0.5A
 Motor : Brush Motor
 Max Torque : 300nm
 No load Speed : 0-2800rpm
 Impact rate : 0-3200bpm
 External : 1/2"sq Drive
 Internal : 1/4"hex holder



Rubber Grip Handle



Battery Level Indicator



LED Indicator Light

SCREWDRIVER & IMPACT DRILL

CSID 1813



Battery : **21V, 1.5Ah**
 Charger : 0.5A
 Motor : **Brushless**
 Capacity : 13mm
 Torque setting : 20+1
 Max Torque : 50-60 Nm
 2 speed setting : 0-1500, 0-4000rpm
 Impact frequency : 9350 & 34000 Ipms



Combo Drill



Reverse/Forward Setting



Battery Strength Indicator



LED Light

ELECTRIC (CORDED/AC) POWER TOOLS



ANGLE GRINDERS



AG 801-2

Capacity : 100/115mm
 Input Power : 800W
 Speed : 11,000 rpm



6 Months
 Warranty



Industrial
 Quality



AG 801

Capacity : 4"/100mm
 Input Power : 710W
 Speed : 11,000 rpm



6 Months
 Warranty




Professional
 Quality



BPT 801-3

Capacity : 4"/100mm
 Input Power : 850W
 Speed : 11,000 rpm



AG 6-100

Capacity : 4"/100mm
 Input Power : 670W
 Speed : 11,000 rpm



6 Months
 Warranty



Professional
 Quality



BPT 6-1002

Capacity : 4"/100mm
 Input Power : 610W
 Speed : 11,000 rpm



AG5-G15-A

Capacity : 5"/125mm
 Input Power : 1200W
 Speed : 9,000 rpm
 Cord Length : 2mtrs.



6 Months
 Warranty



Professional
 Quality

BLOWERS

VSB-75-A

Input Power : 750W
 No Load Speed : 0-14000r/min
 Air Volume : 3.2m³/min



6 Months
Warranty



Variable
Speed



Industrial
Quality



EB 40

Input Power : 550W
 No Load Speed : 13000r/min
 Air Volume : 2.8m³/min
 Air Pressure
 (Water Column) : 5.5Kpa



6 Months
Warranty



Professional
Quality



BPT 40

Input Power : 600W
 No Load Speed : 16000r/min
 Voltage : 230V-50-Hz
 Air Volume : 2.8m³/min



CONCRETE VIBRATOR MACHINES

VD 5727

Vibrating
 Head Dia : 35mm
 Input Power : 725 W
 Speed : 4000 rpm



VD 7590

Vibrating
 Head Dia : 50mm
 Input Power : 2,350 W
 No-load Speed : 4,000 rpm



CONCRETE NEEDLE VIBRATOR

For VD 5727 - 35MM DIA

VS 100 - 1.00 mtrs.
 VS 150 - 1.50 mtrs.
 VS 200 - 2.00 mtrs.
 VS 300 - 3.00 mtrs.



For VD 7590 - 50MM DIA

VS 400 - 4.00 mtrs.





CAR POLISHER

BPT 9227

Input Power : 1200W
 No-load Speed : 600-3000rpm
 Dia. of Wheel : 180mm

CHAINSAW GRINDERS

CSG 0333



Capacity : 4"/100mm
 disc diameter
 Input Power : 130W
 Speed : 3200 rpm
 Suitable for : All types of
 Chainsaw
 blades




6 Months
 Warranty



CHAINSAWS - ELECTRIC

BPT 5016

Capacity : 400mm / 16"
 Input Power : 1300W
 Chain Speed : 400 m/min
 Max Speed : 11,000 rpm



CORE DRILL MACHINE

DCD 2002

Capacity : 200mm
 Input Power : 3300W
 Speed : 500rpm



6 Months
 Warranty



Professional
 Quality

CUT OFF MACHINE 14"

COM 355HB



Capacity : Disc dia
 355mm
 Input Power : 1800 W
 Speed : 3,800 rpm



6 Months
 Warranty



Professional
 Quality

DEMOLITION HAMMERS

DH 0810

5 kg Hammer



Rated
Input Power : 900 W
Impacting Freq. : 2900 rpm

BPT 0810

5 kg Hammer



Rated
Input Power : 900 W
Impacting Freq. : 2900 rpm



6 Months
Warranty



Professional
Quality

DH-0835-A

7 kg Hammer

Rated
Input Power : 1200 W
Impacting Freq. : 3800bpm
Impact Joule : 15J
Cylinder : 35mm
Chuck : 17mm SDS Hex
Cord Length : 2mtrs



6 Months
Warranty



Industrial
Quality

DH 11E

11 kg Hammer



Rated
Input Power : 1500 W
Impacting Freq. : 900-1890 rpm

BPT 11E

11 kg Hammer



Rated
Input Power : 1500 W
Impacting Freq. : 900-1890 rpm



6 Months
Warranty



Professional
Quality

BPT 65


15 kg Hammer



Rated
Input Power : 1400 W
Impacting Freq. : 1400 rpm

DRILL MACHINES-ROTARY

DM 0623



Capacity : 6mm
 Input Power : 230W
 No Load Speed : 0-3500rpm
 Cord Length : 2 mtrs.



Reverse/Forward Setting



Variable Speed



Soft Grip handle




Industrial Quality



6 Months Warranty

DM 1030



Capacity : 10mm
 Input Power : 450W
 No Load Speed : 0-3000rpm
 Cord Length : 2 mtrs.



Reverse/Forward Setting



Variable Speed



Soft Grip handle



Industrial Quality



6 Months Warranty

HIGH SPEED STONE POLISHING DRILL MACHINE

Used extensively in skirting stone polishing



HSP 10-A

Capacity : 10mm
 Input Power : 550W
 Power : 2.4 Amps
 No Load Speed : **2700** rpm
 Cord Length : 2 mtrs.



6 Months Warranty



No Reverse/Forward Setting

DRILL MACHINES - IMPACT

ID 1350



Capacity : 13mm
 Input Power : 500W
 No Load Speed : 0-3000rpm
 Impact Freq. : 0-41600ipm
 Cord Length : 2 mtrs.



Reverse/Forward Setting



Variable Speed



Soft Grip handle



6 Months Warranty



Industrial Quality

ID 0043



Capacity : 13mm
 Input Power : 760 W
 Speed : 0-2600 rpm



Variable Speed



6 Months Warranty

ID BID 13



Capacity : 13mm
 Input Power : 500 W
 Speed : 2200 rpm



Variable Speed



6 Months Warranty



Professional Quality

ID 5013



Capacity : 13mm
 Input Power : 500 W
 Speed : 0-2800 rpm



Reverse/Forward Setting



Variable Speed



Soft Grip handle

DRILL & SCREWDRIVER MACHINE

ESAD 4323

Drilling dia : 10mm
 Input Power : 240W
 No-load Speed : 0 - 800 rpm
 Impact Frequency : 0 - 4000 rpm



BPT 1123

Drilling Dia. : 10mm
 Input Power : 300 W
 No Load Speed : 0-750rpm



DIE GRINDER

DG-6350-A

Input Power : 350W
 Speed : 25000 rpm
 (Single Speed)
 Max. Grinding
 Wheel Dia.: 25mm
 Collet : 6mm



DRYWALL SANDER

DWS 7346

Input Power : 900W
 Speed : 1400-2700rpm
 Cord Length : 3.65 mtrs.
 Features : LED with
 in-built
 vacuum



HEAT GUNS

HG 2000

Rated Input Power : 2000W
Dual Setting
 Temperature : 190/700c
 Air mass flow : 250/550L/min
 Cord Length : 2 mtrs.



HG 1800

Rated Input Power : 1800W
Dual Setting
 Temperature : 400/550c
 Air mass flow : 230/350L/min
 Cord Length : 2 mtrs.



BPT 1600

Rated Input Power : 1600W
Dual Setting
 Temperature : 200/600c
 Air mass flow : 230/350L/min
 Cord Length : 2 mtrs.



JIGSAW MACHINES



JS 4304

Input Power : 500W
 Speed : 500-3000 rpm
 Capacity : Max. cutting depth 60mm



6 Months Warranty



Professional Quality



JS 2739

Input Power : 610W
 Speed : 0-3000 rpm
 Capacity : Max. cutting depth 70mm

MARBLE CUTTERS



MC BM4SA

Capacity : 4" / 110mm
 Max Cutting Cap.: 34mm
 Input Power : 1050W
 Speed : 11,000 rpm



6 Months Warranty



Professional Quality



BPT4-2SA

Capacity : 4" / 110mm
 Max Cutting Cap.: 34mm
 Input Power : 1050W
 Speed : 11,000 rpm



BPT4 SB

Capacity : 4" / 110mm
 Max Cutting Cap.: 30mm
 Input Power : 1240W
 Speed : 12,000 rpm



MC5-5440

Capacity : 125mm
 Max Cutting Cap. : 34mm
 Input Power : 1450W
 Speed : 13,000 rpm
 Cord Length : 2 mtrs.
 Bevel Cutting Angle : 0-45°



6 Months Warranty



Industrial Quality



MC BM5

Capacity : 125mm
 Max Cutting Cap.: 41mm
 Input Power : 1300W
 Speed : 12,500 rpm



6 Months Warranty



Professional Quality



MC5-5225

Capacity : 125mm
 Max Cutting Cap. : 34mm
 Input Power : 1250W
 Speed : 13,000 rpm
 Cord Length : 2 mtrs.
 Bevel Cutting Angle : 0-45°



Soft Grip handle



6 Months Warranty



Professional Quality



MITER SAW

MS 1040H

Capacity : 10"/255mm
 Input Power : 1500 W
 Speed : 4,700 rpm



Heavier Base



Instant Stop



6 Months Warranty



Professional Quality

PAINT MIXERS

BPT 160

Capacity : 160mm
 Input Power : 1020W
 Speed : 780 rpm



PM 160

Capacity : 160mm
 Input Power : 1020W
 Speed : 800 rpm



6 Months Warranty



Professional Quality

PAINT MIXER RODS

SPIRAL TYPE

PM 162



FAN TYPE

PM 163



PLANER MACHINES



BPT 1900 B

Capacity : Max
 planning width
 82mm x 1mm
 Input Power : 500 W
 Speed : 15,800 rpm



HP 2797

Capacity : Max
 planning width
 82mm x 1mm
 Input Power : 600 W
 Speed : 16,000 rpm

PRESSURE WASHERS



PWT-7501

Motor : **Induction Motor**
 Rated Power Input : 2100W
 3HP, 9.5Amps
 No-load Speed : 2,800 rpm
 Net. Wt. : 19.3 kgs.
 Max. Pressure : 160 bar
 Max. Flow : 7.8 ltrs./min
 Cord Length : 5 mtrs.
 Outlet Hose : 8 mtrs.



Industrial
 Quality

- Stainless steel metal plunger
- Automatic total stop function
- Self resetting thermal cut out
- Quick connect fittings



6 Months
 Warranty



CW 6393

Rated Power Input : 1500W
 Max. Working Pressure : 80 bar
 Flow : 390L/H



6 Months
 Warranty



CW 9821

Rated Power Input : 1800W
 Max. Working Pressure : 80 bar
 Flow : 390L/H

ROTARY HAMMERS

RH 2-20



Capacity : 20mm in concrete
 Input Power : 500W
 Speed : 850 rpm



6 Months Warranty



Professional Quality

BPT 2-20



Capacity : 20mm in concrete
 Input Power : 500W
 Speed : 850 rpm

RH 2-26



Capacity : 26mm
 Input Power : 800W
 Speed : 900 rpm
 Voltage : 220V~50Hz



6 Months Warranty



Professional Quality

BPT 2-26



Capacity : 26mm
 Input Power : 800W
 Speed : 0-1100 rpm

TRIMMER MACHINE

TM 3703



Input Power : 530W
 No-Load Speed : 3000r/min
 Capacity : 6mm




6 Months Warranty



Professional Quality

WALL GROOVE CUTTING MACHINE

WGM 9567



Input Power : 2500 W
 No-Load Speed : 7500rpm
 Capacity : 4-45mm groove

GASOLINE (PETROL) POWER TOOLS



BRUSH CUTTERS

BC-3510-B



**Side Pack, Single Cylinder,
4 Stroke, Air cooled engine**

Cylinder Dia : 39mm
 Displacement Volume : 35.8cc
 Rated Output Power : 1.2 Kw
 Max Power : 6,500 rpm
 Idling Speed : 3,000 rpm (+/-200)
 Nt. Wt. : 7.5 kgs.
 Fuel Tank Capacity : 850ml
 Propeller Shaft : 1500mm(L) x 28mm(Dia)



6 Months
Warranty



Professional
Quality

- Very High Fuel Economy
- Primer Pump Single starter
- Top quality machine parts

BC-4312-H



**Side Pack, Single Cylinder,
2 Stroke, Air cooled engine**

Cylinder Dia : 40mm
 Displacement Volume : 42.7cc
 Rated Output Power : 1.2 Kw
 Max Power : 8,000 rpm
 Idling Speed : 3,000 rpm (+/-200)
 Nt. Wt. : 7.5 kgs.
 Fuel Tank Capacity : 900ml
 Propeller Shaft : 1500mm(L) x 28mm(Dia)



6 Months
Warranty



Professional
Quality

- High Fuel Economy
- Primer Pump easy starter
- Top quality machine parts

BC-5215-P



**Side Pack, Single Cylinder,
2 Stroke, Air cooled engine**

Cylinder Dia : 44mm
 Displacement Volume : 51.7cc
 Rated Output Power : 1.5 Kw
 Max Power : 6,500 rpm
 Idling Speed : 3,000 rpm (+/-200)
 Nt. Wt. : 8.0 kgs.
 Fuel Tank Capacity : 900ml
 Petrol to Oil Ratio : 25:1
 Propeller Shaft : 1500mm(L) x 28mm(Dia)



6 Months
Warranty



Professional
Quality

- Powerful Engine
- Primer Pump Single starter
- Top quality machine parts

CHAINSAWS



- Available with 18"/22" Guide Bar
- Metal starter kit & primer pump for super easy start
- Comfortable rubber starter handle
- Top quality machine parts

AXER MODEL CS-5845-A

Single Cylinder, 2 Stroke, Air cooled engine

Cylinder Dia	: 45.2mm
Displacement Volume	: 58cc
Rated Output Power	: 2.5 Kw (3.35HP)
Max Power	: 11,000 rpm
Idling Speed	: 2800-3300 rpm
Nt. Wt.	: 5.50 kgs.
Fuel Tank Capacity	: 650ml
Oil Tank Capacity	: 260ml



6 Months Warranty



- Available with 18"/22" Guide Bar
- Latest crankcase design technology
- New, unique muffler design with racing car sound
- Fuel tank window
- Comfortable rubber starter handle
- Super Easy starter

RAZER MODEL CS-5845-R

Single Cylinder, 2 Stroke, Air cooled engine

Cylinder Dia	: 45.2mm
Displacement Volume	: 58cc
Rated Output Power	: 2.5 Kw (3.35HP)
Max Power	: 11,000 rpm
Idling Speed	: 2800-3300 rpm
Nt. Wt.	: 5.25 kgs.
Fuel Tank Capacity	: 550ml
Oil Tank Capacity	: 260ml



6 Months Warranty



- Available with 18"/22" Guide Bar

GC 5818 / GC 5822

Single Cylinder, 2 Stroke, Air cooled engine

Cylinder Dia	: 45.2mm
Displacement Volume	: 58cc
Rated Output Power	: 2600w
Fuel Tank Capacity	: 550ml
Oil Tank Capacity	: 260ml



6 Months Warranty




- Available with 18"/22" Guide Bar
- Primer pump for easy start

CHOPPER MODEL CS-5845-C

Single Cylinder, 2 Stroke, Air cooled engine

Cylinder Dia	: 45.2mm
Displacement Volume	: 58cc
Rated Output Power	: 2.3 Kw (3.10HP)
Max Power	: 10,500 rpm
Idling Speed	: 2800-3200 rpm
Nt. Wt.	: 5 kgs.
Fuel Tank Capacity	: 550ml
Oil Tank Capacity	: 260ml

POWER TOOL SPARES



ARMATURES (ROTORS)

AG6-100 • AG 801 • C7 • CM 4SA • CM 4SB • DH 0810 • DH 11E
DH 65 • DU 10 • EB 40 • EC 5016 • ESAD 4323 • G 10SS • G 15SA2
ID 13 • ID 0043 • ID 5013 • LG 355 • LS 1040 • MT 410 • MT 9553
PD 100D • PM 160 • RH 2-20 • RH 2-26 • VD 5727




FIELD COILS (STATORS)

AG6-100 • AG 801 • C7 • CM 4SA • CM 4SB • DH 0810 • DH 11E
DH 65 • DU 10 • EB 40 • EC 5016 • ESAD 4323 • G 15SA2 • ID 13
ID 0043 • ID 5013 • LG 355 • LS 1040 • MT 410 • MT 9553
PD 100D • PM 160 • RH 2-20 • RH 2-26 • VD 5727



CARBON BRUSHES

AG6-100 • AG 801 • COM 355 • CM 4SA • DH 0810
DH 11E • DH 65 • DU 10 • EB 40 • ID 13 • MT 410
PD 100 • PM 160 • RH 2-20 • RH 2-26



ABRASIVES



Golden Bullet®

MPA-CERTIFICATE

Z-15210/21

MPA-Hannover, accredited laboratory for the testing of grinding tools,
has tested the following abrasive tools:



flat cutting-off wheels type 41 for stainless steel
max. operating speed: 80 m/s, cut width: 1.0 mm and 1.2 mm
bore diameter: 16 mm, outside diameters: 105 mm and 107 mm
Test Reports: 20211296A and 20211296B



Industrial Tools Corporation
Block E3, Unit No 3, 4&5, Parasnath Complex, Near Pipeline,
Valpada. Bhiwandi. 421302, India

All tested tools have fulfilled the safety requirements of
EN 12413:2019 "Safety requirements for bonded abrasive products"

Only cutting-off wheels of the tested type, produced by the mentioned manufacturer, which
satisfy the other requirements of EN 12413 are allowed to be marked with the sign:

MPA Z-15210

The implementation of a Quality-Management-System of the manufacturer is mandatory.
This certificate is only valid in connection with the above mentioned Test Reports and will expire on 2023.04.15.
Regular, timely re-testing of the named tools can extend it.
The manufacturer has agreed to unannounced controls of the products during this period.

Garbsen, 2021.04.15




MPA Hannover · Betriebsstätte Garbsen · An der Universität 2 · D-30823 Garbsen · Germany
Tel. +49(0)511 762-43 62 · Fax +49(0)511 762-30 02 · office.garbsen@mpa-hannover.de · www.mpa-hannover.de

We are pleased to announce that our abrasives are MPA-Hannover (Germany) certified
and meet international performance and safety standards.

CLOTH ROLL 10 MTRS.

ALUMINIUM OXIDE



4" with grits
36, 50, 60, 80
100 & 120

CLOTH ROLL 50 MTRS.

ALUMINIUM OXIDE



4" with grits
36, 50, 60, 80
100 & 120

COMBINATION STONE


SILICON CARBIDE



6 x 2 x 1
8 x 2 x 1

DIAMOND SHARPENING STONE

DIAMOND COATED




150mm x 50 x 8

DIAMOND POLISHING DC PADS




4" In seven grits
numbered
from 0 to 6



4" In seven grits
numbered
from 0 to 6

DIAMOND POLISHING FLEXIBLE PAD



4" in grits
of 60, 100, 200, 400,
800, 1500 & 3000

FELT - DC WHEEL

WHITE



4" x 8mm
4" x 13mm

CUT OFF WHEELS

EASY-CUT (DOUBLE NET)



GREEN

4" x 1 mm



BLACK

4" x 1 mm



BROWN

4" x 1 mm



GREEN

14" x 2.8 mm

SUPERB (SINGLE NET)



GREEN

4" x 1 mm



BLACK

4" x 1 mm



GREEN

14" x 2.8 mm



BLACK

14" x 2.8 mm



BROWN

14" x 2.8 mm

SUPER THIN RAZOR-CUT (DOUBLE NET)



CLASSIC (SINGLE NET)


GREEN



BLACK



FIBER DISC




PREMIUM Individual coated Fiber Disc

125mm
In grits of
24, 36, 50, 60,
80, 100 & 120



125mm
In grits of
24, 36, 50, 60,
80, 100 & 120


FIBER DISC-VELCRO




125mm (5") x 8 Holes
In grits of
36, 60, 80, 100,
120, 150, 180, 220
& 320



150mm (6") x 6 Holes
in grits of
36, 60, 80, 120,
180, 220 & 320



180mm (7") x 8 Holes
in grits of
60, 80, 120,
150, 180, 220
& 320



225mm (9") x 10 Holes
in grits of
60, 80, 120,
150, 180, 220
& 320

FLAP WHEELS-FLEXIBLE



FLEXIBLE - BLACK


4" in grits of
60, 80 & 120



FLEXIBLE - BLUE

4" in grit of 120

FLAP WHEELS



PREMIUM BROWN

4" : 36, 60, 80, 100,
120, 220 & 320
5" : 60, 80 & 120
7" : 60, 80 & 120



PROFESSIONAL BROWN

PVC Backing
4" in grits of
60, 80 & 120

GC WHEEL

BLACK



For Stone & Glass
4"
in grits of
46, 60, 80,
120, 180 & 220

GC WHEEL SS

GREEN




For Stainless Steel
4"
in grits of
36, 60,
80 & 120

GRINDING DC WHEEL



BLACK

4" x 4mm
4" x 6mm
5" x 6mm
7" x 6mm
9" x 6.5mm



GREEN

4" x 4mm
4" x 6mm
5" x 6mm
7" x 6mm



BROWN

4" x 6mm

NON WOVEN DC WHEEL



PINK

U3/7P

4" x 12mm
4" x 15mm



BROWN

U1/5P

4" x 12mm
4" x 15mm

SANDER PAPER (DRY/SOOKHA PAPER)

RED



Aloxide
in grits
80, 100, 120,
150, 180 & 220

WATER PROOF PAPER



Silicon Carbide

In grits of :
60, 80, 100, 120,
150, 180, 220, 320,
400, 600, 800,
1000, 1200, 1500 & 2000

CIRCULAR DIAMOND SAW BLADES




ZERO CHIPPING, CERAMIC TILE BLADES



**NICE-CUT
THIN SEGMENTED**

YELLOW

110mm
114mm
125mm



**NICE-CUT
THIN SEGMENTED**

BLUE


110mm



THIN TURBO

YELLOW

110mm



THIN TURBO

BLUE

110mm

CONCRETE BLADES



BLACK

108mm &
125mm



RED

108mm &
125mm



GREEN


108mm

GENERAL PURPOSE BLADE - WHITE



RIM

100mm



SEGMENTED

110, 125, 150,
180, 200,
250, 300,
350mm



TURBO

100mm

GRANITE BLADES



ORANGE

110mm



GOLDEN

110mm



SILVER

110mm



SUPER CUT


110mm



SUPER DRY

112mm

WALL BLADES



WALL GROOVING

129mm



WALL CUTTER

108mm

GENERAL PURPOSE BLADE - GREEN ECO


RIM

110mm
125mm




SEGMENTED

110, 125, 150,
180, 200,
250, 300,
350mm



TURBO

100mm



DEEP CUP WHEEL-DOUBLE SEGMENTED



**WHITE
SEGMENTED**
125mm




**WHITE
SEGMENTED**
180mm

DEEP CUP WHEELS - 80mm



**WHITE
SEGMENTED**



**BLUE
SEGMENTED**



**GREEN-ECO
SEGMENTED**



**GREEN-ECO
TURBO**



**GREEN-ECO
RIM**

DEEP CUP WHEELS - 100mm



**BLUE
TURBO**



**GREEN-ECO
TURBO**

FLAT CUP WHEEL



BLUE
**1 SIDE TURBO,
1 SIDE RIM**
105mm

GLASS & TILE CUTTING BLADE



CHROME
100mm

CIRCULAR TCT SAWS



TCT SAWS (4" & 5") FOR WOOD CUTTING

SUPERB
(WITH PENCIL)



4 x 30 x 2.2
4 x 40 x 2.2
5 x 30 x 2.2
5 x 40 x 2.2

BLACK



4 x 30 x 2.2
4 x 40 x 2.2
5 x 30 x 2.2
5 x 40 x 2.2

PREMIUM
(POLISHED STEEL)



4 x 30 x 2.0
4 x 40 x 2.0
5 x 30 x 2.2
5 x 40 x 2.2

SLIMPRO



4 x 30 x 1.6
4 x 40 x 1.6
5 x 30 x 1.6
5 x 40 x 1.6

STP
(SILVER, THIN & PROFESSIONAL)



4 x 30 x 1.6
4 x 40 x 1.6
5 x 30 x 1.6
5 x 40 x 1.6

TCT SAWS 6" TO 14"

PREMIUM POLISHED

For Wood Cutting



Available in
40 & 60 teeth


For Aluminium Cutting



10 x 100 x 2.8
12 x 100 x 3.2
12 x 120 x 3.2
14 x 120 x 3.2

PREMIUM BLACK

For Wood Cutting



Available in
40 & 60 teeth

For Aluminium Cutting



10 x 100 x 2.8
12 x 100 x 3.2
14 x 120 x 3.2

STP

(SILVER, THIN & PROFESSIONAL)

For Wood Cutting



Available in
40 & 60 teeth

POWER TOOL ACCESSORIES & HAND TOOLS



AB WASHERS

AG 6 -100



AG - 801



CM4SA



ADAPTORS

Adaptor #11

Drill Chuck-AG4 Adaptor

To fit drill chuck in 4" Angle Grinder (20 Unf Male x M10 Female)



Adaptor #12

Cup Brush Adaptor

To fit M14 Cup Brush in 4" Angle Grinder (M14 Male x M10 Female)



Adaptor #13

Core Bit-AG5 Adaptor

To fit Core Bit/Cup Brush in 5" Angle Grinder (M10 Male x M14 Female)



Adaptor #14

PMR-Drill Machine Adaptor

To fit Paint Mixer rod in a Drill Machine (M12 Female x 20 Unf Female)



Adaptor #15

Core Bit-Drill Machine Adaptor

To fit Core Bits/Cup Brush in a Drill Machine (M10 Male Threaded x 10mm Male Shank)



Adaptor #16

62mm Core Drill Adaptor

To fit Golden Bullet Blue Core Drills in Dongcheng Machines (1½ Unc Male x 22mm Female x 62mm Height)



Adaptor #17

105mm Core Drill Adaptor

To fit Golden Bullet Silver Core Drills in Golden Bullet, Dewalt & Bosch Machines (M22 Male x 1½ Unc Female x 105mm Height)



Adaptor #18

SDS Adaptor

To fit Drill Chuck in Rotary Hammer (SDS Plus Shank Male x 20 Unf Male)



ALLENKEY SETS

AKS-BPL

BALL HEAD
Long in Length,
9pc set, from
1.5mm to 10mm




AKS-HEX

HEX HEAD
Standard Length,
9pc set, from
1.5mm to 10mm



AKS-TXL

TORX HEAD
Long in Length,
9pc set, from
T10 To T50,
Tamper proof



BACKING PADS - PLASTIC

ORANGE

100mm / 4"



WHITE

125mm / 5"



GREEN

125mm / 5"



GOLDEN

125mm / 5"



SILVER

125mm / 5"



**BACKING PADS - VELCRO
WITH PLASTIC FOAM**

m10 x 4"
m10 x 5"
m14 x 7"



BOLT CUTTERS

8", 12", 14"
18", 24" & 36"



CAULKING TOOLS

BCG-01 - FISHER TYPE



BCG-02 - FISHER TYPE



BCG-03 - HEAVY DUTY



Ratchet Pushing Rod,
Thrust Ratio of 18:1,
Pushing Power &
Gt: 2000N



BCG-04 - SAUSAGE TYPE



BCG-05 - MEDIUM DUTY



Ratchet Pushing Rod,
Thrust Ratio of 10:1,
Pushing Power &
Gt: 1500N

BCG-07 - LIGHT DUTY



Ratchet Pushing Rod,
Thrust Ratio of 6:1,
Pushing Power &
Gt: 1000N

BCG-09 - ECO



CHALK LINE REEL SET

CLR 130



Orange
30MTR

CHAINS FOR CHAINSAW

PROFESSIONAL



- Chain for 18" Gasoline Chain Saw Machine (36T)
- Chain for 22" Gasoline Chain Saw Machine (43T)

PREMIUM



- Chain for 16" **Electric** Chain Saw Machine
- Chain for 18" Gasoline Chain Saw Machine (36T)
- Chain for 22" Gasoline Chain Saw Machine (43T)

CHISELS

SDS PLUS

For Rotary Hammer (RH 2-20/RH 2-26)

- 14 x 250mm x 20 Flat
- 14 x 250mm x 40 Wide
- 14 x 250mm Pointed



HEX

For 5kg. Demolition Hammer (0810/0835)


- 17 x 280mm x 25 Flat
- 17 x 280mm x 50 Wide
- 17 x 280mm Pointed
- 17 x 450mm x 25 Flat
- 17 x 450mm Pointed



SDS MAX

For 11kg. Demolition Hammer (11E)

- 18 x 400mm x 25 Flat
- 18 x 400mm x 50 Wide
- 18 x 400mm Pointed



- 18 x 600mm x 25 Flat
- 18 x 600mm Pointed

SDS MAX

For 15kg. Demolition Hammer (DH65)

- 30 x 410mm x 35 Flat
- 30 x 410mm Pointed



CHISEL HANDLE-WOODEN



5"

CHISEL SET FOR WOOD CARVING

Set of 6pcs



CUP BRUSHES

PREMIUM ORANGE

CRIMPED
M10 x 3"



TWISTED
M10 x 3"
M14 x 4"

ECO YELLOW

CRIMPED
M10 x 3"



TWISTED
M10 x 3"

CORE BITS FOR GRANITE

FOR GRINDER MACHINES



6.5, 8.5, 10,
12, 14, 16, 19, 22,
26, 33, 37, 40,
50 & 63mm

FOR DRILL MACHINES



19, 26, 33
& 38mm

CORE BITS FOR GLASS



5, 6, 8, 10,
12, 14, 16
& 19mm

CORE BITS FOR MARBLE



13, 19, 25, 32 & 38mm

CORE DRILLS FOR CONCRETE

BLUE-1¼ UNC



450 mm length

Available in mm sizes of :
25, 27, 32, 40, 46, 51, 63, 76, 83, 89, 102, 112, 127, 152, 180 & 200

SILVER-M22



450 mm length

Available in mm sizes of :
25, 27, 32, 40, 46, 51, 63, 76, 83, 89, 102, 112, 127 & 152

GREEN-1¼ UNC



450 mm length

Available in mm sizes of :
51, 76, 102 & 127

DRILLS

FLAT WOOD BITS

6.35(1/4"), 8, 10, 12, 13, 14, 16, 18, 19, 20, 22, 25.4(1"), 32 & 38

Also available in a 6 pcs. set with sizes from 10mm to 25mm



FOUR SLOT DRILL

165 mm length



Available in mm sizes of : 12, 14, 16, 18, & 20

GLASS & TILE (ARROW) DRILL

5 & 6mm



HAMMER DRILL-SDS PLUS

FLAT TIP -

Available in sizes from 4mm to 32mm in various lengths.



QUATTRO TIP +

Available in sizes from 5mm to 25mm in various lengths.



HSS COBALT DRILL FOR SS

5% Cobalt for S. S. Drilling

Available in sizes from 3/32" to 1/2" & 2 to 13mm



HSS JOBBER DRILLS

From 3/32" to 1/2"

Also available in 13 pcs. set from 1/16" to 1/4"



MASONRY DRILLS

Standard Length
1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2 & 6.0mm



ASSORTED DRILL BIT SET

6pcs.Set
Four Jobber Drills
3,4,5 & 6mm
Two Masonry Drills
3/16" & 1/4"



DRILL CHUCKS

STANDARD

6mm x 24unf
10mm x 20unf
10mm x 24unf
13mm x 20unf
13mm x 24unf



KEYLESS

10mm x 24unf
13mm x 20unf



TAPER CHUCK-040

13mm x JT6



KEYS

16mm
13mm
6mm



DISPLAY STAND

(TABLE TOP)



GLASS CUTTERS

GC 12

Cutting Range
3-12mm



GC 19

Cutting Range
05-19mm



PLASTIC HANDLE



GLASS SUCTION CUPS

GSC-2

Vertical Suction - 80Kgs
Horizontal Suction - 100Kgs



GSC-3

Vertical Suction - 125Kgs
Horizontal Suction - 150Kgs



Spare Levers Available

GLOVES (KNITTED, DOTTED)

NATURAL WHITE

45gms



BLUE

55gms



GUIDE BAR FOR CHAINSAW MACHINES

16" FOR ELECTRIC CHAINSAW

16"



18" & 22" FOR GASOLINE CHAINSAW

18" & 22"



HACKSAW BLADES

HSS BIMETAL, FLEXIBLE

12x1/2x18T,
12x1/2x24T



BHF 03 PLASTIC HANDLE

12"



HAND WIRE BRUSHES

PLASTIC HANDLE

5 Row



WOODEN HANDLE

6 Row



HANDSAWS

369

Yellow and Blue Handle
0.9mm blade in 18"



495

Orange & Black Plastic Handle
0.9mm Blade in 12", 18" & 24"



610

Wooden Handle
in 16"



HINGE BORING BITS

TUNGSTEN CARBIDE TIPPED



1/2", 16, 18, 19, 20, 22,
25, 28, 30, 32, 35, 38,
40, 45 & 54mm

TCT SUPERB (ECO)

BLUE



20, 25 & 35mm

HOLESAW SETS (HCS)

SET OF 3 PCS

**Lock
Installation
Kit**



SET OF 6 PCS

Carbon Steel,
with Holesaws
of 32, 38,
51 & 54 mm



SET OF 11 PCS

Set of 11 pcs.
with Holesaws of
19, 22, 29,
32, 38, 44, 51 &
64 mm



SET OF 12 PCS

Set of 12 pcs.
with Holesaws of
19, 22, 29,
32, 38, 44, 51 &
64 & 76mm



SET OF 16 PCS

Set of 16 pcs.
with Holesaws of
19, 22, 29, 32, 38,
44, 51, 64, 76, 84,
102 & 127 mm



HOLESAWS

BI-METAL

MODEL-HBMO



50mm OAL
With Arbor for Metal
 19, 22, 24, 25, 28,
 32, 35, 38, 40, 51,
 54, 63 & 75mm

HSS-JAPAN TYPE

MODEL-HHMS



15mm OAL
 12, 14, 16, 19, 20,
 22, 25, 28, 32, 35,
 38, 44, 51, 57, 63,
 70 & 75mm dia

HCS FOR WOOD

MODEL-HHWN



50mm OAL
With Arbor for Metal
 25, 32, 38, 50,
 54, 57, 64 & 75mm

HCS FOR POP

MODEL-HHPN



72mm OAL
 4", 5", 6", 7" & 8"

TCT FOR CONCRETE

MODEL-HTCS



72mm OAL
 35, 40, 50, 60, 65,
 75, 100 & 125mm

TCT FOR SS

MODEL-HTSS



30mm OAL
with Arbor-Big
 14, 16, 19, 22, 25,
 28, 32, 35, 38, 44,
 51, 57, 63, 70, 75
 & 100 mm dia


 Spare Drill 6x57mm
 available

CONCRETE HOLESAW EXTENSION BARS

SDS PLUS SHANK

200, 300, 450 & 600mm



JIGSAW BLADE TO FIT BOS / MAK / B&D



Model
119 BOS
144 BOS
144 B&D
144 MAK
244 D BOS

LAMINATE CUTTER

MICA CUTTER



NEEDLE FILE (DIAMOND COATED)



Set
14cm x 5pcs

Loose

16cm: Round, Flat & Half Round



NEEDLE FILE (HCS)



Set
14cm x 10pcs

NUT RUNNER



Magnetic
8 x 42mm
8 x 50mm
8 x 65mm
10 x 65mm

PAD NUT



1016 : 4"Grinder x 4" Pad
1022 : 4"Grinder x 5" Pad
1422 : 5"Grinder x 5" Pad


PIPE CUTTER



PC-42
PVC cutting
range
3-42mm


PLIERS-COMBINATION

PREMIUM



8"


SUPERB



8"


PLIERS-NOSE

PREMIUM



6"

SUPERB



6"

PLANER BLADES



HIGH CARBON STEEL

Available in lengths from 9" to 24" and in thickness of 2.2mm and 3.0mm.
3 pcs. packing



CHROME VANADIUM STEEL

Available in lengths from 9" to 24" and in thickness of 2.2mm and 3.0mm.
3 pcs. packing



HIGH SPEED STEEL

Available in lengths from 9" to 24" and in thickness of 2.2mm and 3.0mm.
3 pcs. packing



TUNGSTEN CARBIDE TIPPED

Available in lengths from 9" to 24" in thickness of 3.0mm only.
3 pcs. packing

PLANER BLADE SET 82mm

TO FIT BOSCH



CRV



HSS



TCT

TO FIT MAKITA 1900B



CRV



HSS



TCT

TO FIT HITACHI F-20



CRV



HSS



TCT

RADIAL BRUSHES



TWISTED SILVER

180mm x 22mm Bore



CRIMPED GOLDEN

150mm x 32mm Bore with multiple washers

RIVETS



- 1/8 x 1/2 Inch
- 1/8 x 3/4 Inch
- 5/32 x 1/2 Inch
- 5/32 x 3/4 Inch
- 3/16 x 1/2 Inch
- 3/16 x 3/4 Inch
- 3/16 x 1 Inch

RIVETING ADAPTOR

ESRA1



To make an Electric Screwdriver & Drill Machine into a Riveting Gun

RIVETERS (HAND RIVETERS)

HR-03

10 1/2"



with free spares

HR-05

10 1/2"



with free spares

HR-07

8"



EASY PUSH

with free spares

HR-09

12" with free extra spring and jaw!



HR-32

with free extra spring and jaw!



RUBBER MALLETS



30, 40, 50, 60 & 70

RUBBER HAMMERS



1.5", 2", 2.5" & 3"

SCREW BITS

K5 - BLUE

PH2 x PH2 x 65mm



TS2 - CHROME

PH2 x PH2 x 65mm



CS2 - GREY

Double Ended

SL6 x PH2 x 65mm

PH1 x PH1 x 65mm
PH2 x PH2 x 65mm
PH2 x PH2 x 100mm
PH2 x PH2 x 150mm



SCREW BITS (WITH RING)

CRV - BLACK

PH2 x PH2 x 65mm



SCREW DRIVERS

CUSHION GRIP (+/-)

CA/CP 6mm x 100mm
CA/CP 6mm x 150mm
CA/CP 6mm x 200mm
CA/CP 6mm x 250mm



HAMMERING (+/-)

HA/HP 6mm x 100mm
HA/HP 6mm x 150mm
HA/HP 6mm x 200mm
HA/HP 6mm x 250mm
HA/HP 8mm x 150mm
HA/HP 8mm x 200mm
HA/HP 8mm x 250mm
HA/HP 8mm x 300mm



RED & BLUE - 2 IN 1

American
ATW 6mm x 100mm
ATW 6mm x 150mm




CUSHION GRIP - 2 IN 1

CTW 6mm x 100mm
CTW 6mm x 150mm



HAMMERING - 2 IN 1

HTW 6mm x 100mm
HTW 6mm x 150mm
HTW 6mm x 200mm
HTW 6mm x 250mm



SECATEUR (FLOWER CUTTER)

200 mm

with spare spring, nut & Lock.



SNAP OFF CUTTER

SOC-1

19mm



SPANNERS FOR POWER TOOL MACHINES

ADJUSTABLE SPANNER FOR AB WASHER



FOR AG 6-100



FOR AG 801



FLAT TYPE FOR CM4SA



10mm x 19mm
Double Ended, Flat,
Hexagonal Ring Spanner

T-TYPE FOR CM4SA



10mm, Short
Hexagonal
Tee Spanner

SPINDLE BRUSHES

PEN TYPE

Crimped Golden
16,19 & 25mm



ROUND TYPE

Crimped Golden
50 & 65mm



END TYPE

Crimped Golden
38, 50 & 75mm



NYLON

RED
100mm



SPIRIT LEVELS

MINI LEVEL 33-4"

Magnetic



63-12/18/24

300, 450, 600 mm.



TORPEDO LEVEL GB-TL-200

Magnetic



576-12

300 mm.
Yellow/Black finish



STEP DRILL

4-20mm
4-32mm



TILE CUTTER WITH U-TYPE BREAKER



TIN CUTTER

12"



TIN SNIP-AVIATION

10"



WALL GROOVING DOUBLE BLADE ATTACHMENT



WOOL PAD (FOR BUFFING & POLISHING)

HEAVY DUTY




LIGHT DUTY



WATER LEVEL HOSE

30 MTR




Available Sizes of:
1/4 x 1/32 - 700gm (approx)
1/4 x 3/64 - 850gm (approx)
1/4 x 1/16 - 1100gm (approx)
5/16 x 3/64 - 1100 gm (approx)

10 MTR



Available Sizes of:
1/4 x 1/32 - 250gm (approx)
1/4 x 3/64 - 300gm (approx)


ROUTER AND TRIMMER BITS



ROUTER BITS


INTRODUCING

STRAIGHT BITS, TIP JOINT (TJ)



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9502 TJ	6	20	-	20 x 6
9503 TJ	8	20	-	20 x 8
9504 TJ	10	20	-	20 x 10
9506 TJ	12.7	20	-	20 x 12.7
9507 TJ	15	20	-	20 x 15
9503 TJY	8	30	-	30 x 8
9504 TJY	10	30	-	30 x 10
9506 TJY	12.7	30	-	30 x 12.7
9508 TJY	19	30	-	30 x 19
9503 TJM	8	40	-	40 x 8
9504 TJM	10	40	-	40 x 10
9506 TJM	12.7	40	-	40 x 12.7
9504 TJL	10	50	-	50 x 10
9506 TJL	12.7	50	-	50 x 12.7

CORNER BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
135	38	10	*	15 x 10
140	50	10	*	22 x 10
141	50	12	*	22 x 12
145	55	15	*	25 x 15

CENTER (CARVING) BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
934	12.7	12.7	45°	12.7 x 12.7

FLUSH TRIM BIT WITH BEARING



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
5001	7	20		20 x 7
5002	8	20		20 x 8
5003	10	25		25 x 10
5004	13	25		25 x 13

RABBETING BITS (FOUR SIDE)



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
123	3	35	*	10 x 5
124	4	35	*	12 x 6
126	6	35	*	14 x 7
128	8	35	*	16 x 8

FLUSH TRIM BIT WITH BEARING (50mm long)




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
5002L	8	50		50x8
5003L	10	50		50x10
5004L	13	50		50x13

OVOLO BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9031	21	10	4	6 x 6
9032	25	12	6	8 x 8
9033	29	14	8	10 x 10
9034	33	16	10	12 x 12
9035	37	18	12	15 x 15
9036	43	21	15	19 x 19
9037	53	26	20	25 x 25
9038	63	31	25	30 x 30

COVE BEAD BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9041	25	8	4	6 x 6
9042	29	10	6	8 x 8
9043	33	12	8	10 x 10

OVOLO COVE PROFILE BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9051	29	14	3	10 x 10
9052	37	18	5	15 x 15
9053	33	10	4	10 x 8
9054	38	12	6	15 x 12

COVE-OVOLO PROFILE BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9061	29	14	3	10 x 10
9062	37	18	5	15 x 15
9063	33	10	4	10 x 8
9064	38	12	6	15 x 12

OGEE FILLET BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9071	29	14	3	10 x 10
9072	37	18	5	15 x 15
9073	33	10	4	10 x 8

ROMAN OGEE BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9081	29	12	3	10 x 10
9082	37	16	5	15 x 15
9083	33	10	4	10 x 8
9084	38	12	6	15 x 12

RABBETING (SLOT) BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9091	35	4	*	4 x 12
9092	35	6	*	6 x 12
9093	35	8	*	8 x 12
9094	35	9	*	9 x 12
9095	35	10	*	10 x 12
9096	35	12	*	12 x 12
9097	35	15	*	15 x 12
9098	35	20	*	20 x 12
9099	35	25	*	25 x 12

CORE BOX ROUND BITS (ROUND NOSE)



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9101	6	8	3	6 x 5
9102	8	9	4	8 x 6
9103	10	10	5	10 x 7
9104	12	11	6	12 x 8
9105	14	12	7	14 x 9
9106	16	13	8	16 x 10
9107	18	14	9	18 x 12
9108	20	15	10	20 x 14

STEP & ROUND BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9201	10	8	3	10 x 5
9202	12	9	4	12 x 6
9203	14	10	5	14 x 7
9204	16	11	6	16 x 8
9205	18	12	7	18 x 9
9206	20	13	8	20 x 10
9207	22	14	9	22 x 12
9208	24	15	10	24 x 14

STRAIGHT BITS (38mm long)




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9502M	6	38		38x6
9503M	8	38		38x8
9504M	10	38		38x10

STEP BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9301	21	8	*	10 x 10
9302	25	12	*	15 x 15
9303	29	8	*	10 x 8
9304	33	12	*	15 x 12

STRAIGHT BITS (50mm long)



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9502L	6	50		50x6
9503L	8	50		50x8
9504L	10	50		50x10
9505L	12	50		50x12
9506L	12.7	50		50x12.7

CHAMFER BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9401	29	10	45	10 x 10
9402	37	16	45	15 x 15
9403	33	10	45	10 x 8
9404	38	12	30	15 x 12
9405	40	14	30	12 x 10
9406	48	18	30	15 x 12

CLASSICAL PLUNGE BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9601	16	11	3	16 x 8
9602	20	13	4	20 x 10
9603	24	15	5	24 x 12
9604	28	18	6	28 x 14
9605	32	21	7	32 x 16
9606	36	24	8	36 x 18

STRAIGHT BITS





Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9501	4	13	*	13 x 4
9502	6	20	*	20 x 6
9503	8	20	*	20 x 8
9504	10	25	*	25 x 10
9505	12	20	*	20 x 12
9506	12.7	25	*	25 x 12.7
9507	15	25	*	25 x 15
9508	19	20	*	20 x 19
9509	20	20	*	20 x 20
9510	25	20	*	20 x 25

PLUNGE CUT BEADING BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9701	6	7	2	6 x 4
9702	8	8	3	8 x 5
9703	10	10	4	10 x 6
9704	12	11	5	12 x 7
9705	14	12	6	14 x 8
9706	16	13	7	16 x 9
9707	18	14	8	18 x 10
9708	20	15	9	20 x 12
9709	22	16	10	22 x 14

STEP OLOGO BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9801	29	14	3	10 x 10
9802	37	18	5	15 x 15
9803	33	10	4	10 x 8
9804	38	12	6	15 x 12

BOTTOM OLOGO BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9901	29	14	3	10 x 10
9902	37	18	5	15 x 15
9903	33	10	4	10 x 8
9904	38	12	6	15 x 12

TOP OLOGO BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9911	29	14	3	10 x 10
9912	37	18	5	15 x 15
9913	33	10	4	10 x 8
9914	38	12	6	15 x 12

DOUBLE OLOGO BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9921	29	14	3	10 x 10

CENTER OLOGO (THREAD) BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9931	6	5	3	6 x 5
9932	8	6	4	8 x 6
9933	10	7	5	10 x 7
9934	12	8	6	12 x 8
9935	14	9	7	14 x 9
9936	16	10	8	16 x 10

CENTER (CARVING) BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9941	6	5	45°	6 x 5
9942	8	6	45°	8 x 6
9943	10	7	45°	10 x 7
9944	12	8	45°	12 x 8
9945	14	9	45°	14 x 9
9946	16	10	45°	16 x 10
9947	18	11	45°	18 x 11
9948	20	12	45°	20 x 12
9949	24	13	45°	24 x 13
9950	30	14	45°	30 x 14

CLASSIC ROMAN OGEE (CENTER) BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9951	29	14	3	10 x 10
9952	37	18	5	15 x 15
9953	33	10	4	10 x 8
9954	38	12	6	15 x 12

THUMB MOULD BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9961	29	14	3	10 x 10
9962	37	18	5	15 x 15
9963	33	10	4	10 x 8
9964	38	12	6	15 x 12

TRIMMER BITS

1/4" (6.35mm) Shank only



TRIMMER BIT SET



6 pcs

TRIMMER COLLETS

6mm & 1/4"




CORNER ROUND BITS / OVOLO BITS




Item Code	Cutting Diameter (D)	Cutting Breadth (B)	Cutting Radius (R)
0106T (TS-3)	26	6.5	6.5

CENTER (CARVING) BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
0934T	12.7	12.7	45	12.5 x 12.7

RABBETING BITS - 2 TIPS



Item Code	Cutting Diameter (D)	Cutting Breadth (B)	Cutting Height (H)
9092T	35	6	13
9093T	35	8	13
9095T	35	10	13

STRAIGHT BITS





Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9501T	4	13	-	13 x 4
9502T	6	20	-	20 x 6
9503T	8	20	-	20 x 8
9504T	10	25	-	20 x 10
9505T	12	20	-	20 x 12
9506T	12.7	25	-	25 x 12.7
9507T	15	25	-	25 x 15
9508T	19	20	-	20 x 19

CHAMFER BITS




Item Code	Cutting Diameter (D)	Cutting Breadth (B)	Cutting Angle (A)
0808T	24.25	7.92	45

FLUSH TRIM BIT BEARING




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
5002T	8	20	-	20 x 8
5003T	10	25	-	25 x 10
5004T	13	25	-	25 x 13

COVE BOX ROUND BITS (ROUND NOSE)



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9104T	12	11	6	12 x 8
9105T	14	12	7	14 x 9
9106T	16	13	8	16 x 10

STRAIGHT BITS, TIP JOINT (TJT)



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9502 TJT	6	20	-	20 x 6
9503 TJT	8	20	-	20 x 8
9504 TJT	10	20	-	20 x 10
9506 TJT	12.7	20	-	20 x 12.7

SCRATCH WIN

Buy

Golden Bullet 

products and get a chance to
win exciting prizes like
motorbikes and mobile phones!

Scratch the silver coating of the hologram on your Golden Bullet product and WhatsApp the code beneath it to  **+91 9223575757**.

Within a short period you will get an answer with one of the following three number codes:

111. - This means the product is original and you have been registered for the contest.

222. - This means the product is not an original Golden Bullet product and that you have not been registered for the contest. In case you receive this code, reach out to the dealer you made the purchase from and ask why you have received a fake product.

666. - This indicates that number on the hologram has been registered before. If the code was not registered by you earlier then the product is surely a duplicate. In case you receive this code and have not registered the number on the hologram earlier, reach out to the dealer you made the purchase from and ask why you have received a fake product.

*For Terms & Conditions on the contest, visit our website www.goldenbullet.co.in

Samsung Phone
12 lucky winners

Bajaj Pulsar 150 Bike
2 lucky winners**



Bike Winners of Scratch & Win Contest



2022

HOSUR



2022

TIRUPPUR



2021

COCHIN



2021

KOLLAM





[instagram.com/goldenbulletpta/](https://www.instagram.com/goldenbulletpta/)



care@goldenbullet.co.in



www.youtube.com/c/GoldenBullet



www.facebook.com/goldenbulletpro

Check original and win prizes!
WhatsApp the code on the hologram to



+91 9223575757

AUTHORISED DEALER :

