



Unoair[®]



CE
ISO 9001

CONTENTS

AIR IMPACT WRENCH	01
AIR RATCHET WRENCH & SOCKET	04
AIR DRILL	05
AIR GRINDER & AIR DIE GRINDER	06
AIR DIE GRINDER & AIR GREASE GUN	07
AIR BODY TOOL	08
AIR SANDER & POLISHER	10
AIR SANDER	11
AIR HAMMER	12
AIR NEEDLE SCALER FLUX CHIPPER & CONCRETE BREAKER	13
AIR RIVETER & CONTROL UNIT	14
AIR BRUSH KIT & MINI COMPRESSOR	15
AIR SCREWDRIVER	16
AIR SCREWDRIVER & BITS	17
AIR NAILER & STAPLER	18
AIR SPRAY GUN & PAINT TANK	20
AIR ACCESSORIES	21
ELECTRIC SCREWDRIVER	22

AIR IMPACT WRENCH



I-30

**3/8" IMPACT WRENCH
(ROCKING DOG)**
TORQUE : 75FT-LB
(102N-m)
10000RPM



**I-31 3/8"
I-42 1/2"**

**IMPACT WRENCH
(PIN CLUTCH)**
TORQUE : 220FT-LB (298N-m)
9500RPM



I-35

**3/8" IMPACT WRENCH
(JUMBO HAMMER)**
TORQUE : 180FT-LB
(244N-m)
10000RPM



I-45

**1/2" IMPACT WRENCH
(JUMBO HAMMER)**
TORQUE : 220FT-LB
(298N-m)
9500RPM



I-313

**3/8" IMPACT WRENCH
(TWIN HAMMER)**
TORQUE : 260FT-LB
(353N-m)
10000RPM



I-38

**3/8" IMPACT WRENCH
(TWO HAMMER)**
TORQUE : 148FT-LB
(200N-m)
8500RPM



I-40

**1/2" IMPACT WRENCH
(ROCKING DOG)**
TORQUE : 240FT-LB
(325N-m)
7000RPM



I-04K

**17PCS
1/2" IMPACT WRENCH
(I-40) KIT**



I-41

**1/2" IMPACT WRENCH
(PIN CLUTCH)**
TORQUE : 320FT-LB
(434N-m)
7000RPM



I-05K

**17PCS
1/2" IMPACT WRENCH
(I-41) KIT**



I-44

**1/2" IMPACT WRENCH
(TWIN HAMMER)**
TORQUE:500FT-LB
(678N-m)
8000RPM FRONT EXHAUST



I-44K

**16PCS
1/2" IMPACT WRENCH
(I-44) KIT**



I-44A

**1/2" IMPACT WRENCH
(TWIN HAMMER)**
TORQUE:550FT-LB
(746N-m)
7000RPM REAR EXHAUST



I-442

**1/2" IMPACT WRENCH
(PIN CLUTCH)**
TORQUE : 250FT-LB
(340N-m)
9500RPM



I-46

**1/2" IMPACT WRENCH
(TWIN HAMMER)**
TORQUE : 480FT-LB
(652N-m)
7000RPM

AIR IMPACT WRENCH



I-46A

**1/2" IMPACT WRENCH
(TWIN HAMMER)**
TORQUE : 800FT-LB
(1085N-m)
7500RPM



I-48

**1/2" IMPACT WRENCH
(TWIN HAMMER)**
TORQUE : 600FT-LB
(814N-m)
7000RPM



I-49

**1/2" IMPACT WRENCH
(PIN CLUTCH)**
TORQUE : 450FT-LB
(610N-m)
7000RPM



I-412

**1/2" COMPOSITE IMPACT
WRENCH(TWIN HAMMER)**
TORQUE : 750FT-LB
(1017N-m)
7500RPM



I-416

**1/2" COMPOSITE IMPACT
WRENCH (TWIN HAMMER)**
TORQUE:1000FT-LB
(1356N-m)
10000RPM



I-426

**1/2" MINI IMPACT
WRENCH(TWIN HAMMER)**
TORQUE : 500FT-LB
(678N-m)
10000RPM



I-434

**1/2" IMPACT WRENCH
(TWIN HAMMER)**
TORQUE : 25~105FT-LB
(34~142N-m)
7000RPM



I-447

**1/2" COMPOSITE IMPACT
WRENCH(TWIN HAMMER)**
TORQUE : 950FT-LB
(1288N-m)
7500RPM



I-60

**3/4" IMPACT WRENCH
(ROCKING DOG)**
TORQUE : 550FT-LB
(746N-m)
4500RPM



I-60K

**3/4" 14PCS.
IMPACT WRENCH
(I-60) KIT**



I-61

**3/4" IMPACT WRENCH
(PIN CLUTCH)**
TORQUE : 700FT-LB
(950N-m)
4500RPM



I-61K

**3/4" 14PCS.
IMPACT WRENCH
(I-61) KIT**



I-601

**3/4" IMPACT WRENCH
(TWIN HAMMER)**
TORQUE : 1200FT-LB
(1627N-m)
5000RPM



I-602

**3/4" IMPACT WRENCH
(ROCKING DOG)**
TORQUE : 500FT-LB
(678N-m)
5000RPM



I-631

**3/4" COMPOSITE IMPACT
WRENCH(TWIN HAMMER)**
TORQUE : 1000FT-LB
(1356N-m)
9000RPM



I-606

**3/4" IMPACT WRENCH
(TWIN HAMMER)**
TORQUE : 1200FT-LB
(1627N-m)
4600RPM

AIR IMPACT WRENCH



I-65

**3/4" IMPACT WRENCH
(PIN CLUTCH)**
TORQUE : 800FT-LB
(1085N-m)
4800RPM



I-66

**3/4" IMPACT WRENCH
(TWIN HAMMER)**
TORQUE : 750FT-LB
(1017N-m)
6500RPM



I-67

**3/4" IMPACT WRENCH
(ROCKING DOG)**
TORQUE : 650FT-LB
(881N-m)
6300RPM



I-69

**3/4" IMPACT WRENCH
(PIN CLUTCH)**
TORQUE : 900FT-LB
(1220N-m)
5000RPM



**I-80P
I-80PL**

**1" IMPACT WRENCH
(TWIN HAMMER)**
TORQUE : 1200FT-LB
(1627N-m) 5500RPM
I-80P (1" ANVIL)
I-80PL (8" ANVIL)



**I-801P
I-801PL**

**1" IMPACT WRENCH
(TWIN HAMMER)**
TORQUE : 1200FT-LB
(1627N-m) 6000RPM
I-801P (1" ANVIL)
I-801PL (6" ANVIL)



**I-8080P
I-8080PL**

**1" IMPACT WRENCH
(ROCKING DOG)**
TORQUE : 1400FT-LB
(1900N-m) 3500RPM
I-8080P (1" ANVIL)
I-8080PL (8" ANVIL)



**I-8082P
I-8082PL**

**1" IMPACT WRENCH
(TWIN HAMMER)**
TORQUE:1800FT-LB
(2445N-m) 3500RPM
I-8082P (1" ANVIL)
I-8082PL (6" ANVIL)




**I-8083
I-8083L**

**1" IMPACT WRENCH
(TWIN HAMMER)**
TORQUE : 1800FT-LB (2445N-m)
I-8083 (1" ANVIL) **I-8083L** (8" ANVIL) 4000RPM



**I-8085-6
I-8085-8**

**1" IMPACT WRENCH
(ROCKING DOG)**
TORQUE:1400FT-LB(1900N-m)
I-8085-6 (6" ANVIL) **I-8085-8** (8" ANVIL) 3500RPM



**I-88
I-88L**

**1" IMPACT WRENCH
(TWIN HAMMER)**
TORQUE:2700FT-LB(3667N-m)
I-88 (1" ANVIL) **I-88L** (8" ANVIL) 3000RPM



I-89

**1-1/2" IMPACT WRENCH/1" ANVIL
(TWIN HAMMER)**
TORQUE:3000FT-LB(4075N-m)
3000RPM

AIR RATCHET WRENCH & SOCKET



R-50 (1/4")
R-50A (3/8")

RATCHET WRENCH
TORQUE : 18FT-LB(25N-m)

240RPM



R-55 (1/4")
R-55A (3/8")

RATCHET WRENCH
TORQUE : 18FT-LB
(25N-m)

240RPM



R-53 (1/2")
R-52 (3/8")

RATCHET WRENCH
TORQUE : 50FT-LB
(68N-m)

150RPM



R-02K (1/2")
R-01K (3/8")

R-02K (R-53) KIT
R-01K (R-52) KIT



I-07K

**17PCS. 1/2"(I-40/R-53)
IMPACT WRENCH &
RATCHET WRENCH KIT**



R-56 (1/2")
R-57 (3/8")

RATCHET WRENCH
TORQUE:60FT-LB
(81N-m)

160RPM



R-54 (1/2")

**1/2" HEAVY DUTY
RATCHET WRENCH**
TORQUE : 90FT-LB
(122N-m)

150RPM



R-502 (1/4")
R-523 (3/8")

MINI RATCHET WRENCH
TORQUE: 20FT-LB
(27N-m)

420RPM



R-522 (3/8")
R-531 (1/2")

**COMPOSITE RATCHET
WRENCH**
TORQUE:50FT-LB
(68N-m)
175RPM



R-561 (3/8")
R-571 (1/2")

**COMPOSITE RATCHET
WRENCH**
TORQUE:75FT-LB
(102N-m)
180RPM



IS-8001

**7 PCS 1" DEEP
AIR SOCKET SET**



IS-8003

**9 PCS
1" AIR SOCKET SET**



IS-6001

**8 PCS.
3/4" DEEP AIR SOCKET SET**



IS-6003

**8 PCS.
3/4" AIR SOCKET SET**



IS-4001

**10 PCS.
1/2" DEEP AIR SOCKET SET**



IS-4003

**10 PCS.
1/2" AIR SOCKET SET**

AIR DRILL



D-30

3/8" AIR DRILL
CAPACITY:10mm

2200RPM



D-31

3/8" REVERSIBLE AIR DRILL
CAPACITY:10mm

1800RPM



D-31R

3/8" COMPOSITE REVERSIBLE AIR DRILL
CAPACITY:10mm

1800RPM



D-34

3/8" HEAVY DUTY REVERSIBLE AIR DRILL
CAPACITY:10mm

1800RPM



D-35

3/8" ANGLE AIR DRILL
CAPACITY: 10mm

1900RPM



D-36

3/8" REVERSIBLE ANGLE DRILL
CAPACITY : 10mm

1800RPM



D-38

3/8" STRAIGHT AIR DRILL
CAPACITY:10mm

2500RPM



D-39

3/8" STRAIGHT AIR DRILL
CAPACITY:10mm

4500RPM



D-40

1/2" AIR DRILL
CAPACITY:13mm

800RPM



D-41

1/2" REVERSIBLE AIR DRILL
CAPACITY:13mm

800RPM



D-43

1/2" HEAVY DUTY AIR DRILL
CAPACITY:13mm

500RPM



D-44

1/2" HEAVY DUTY REVERSIBLE AIR DRILL
CAPACITY : 13mm

800RPM



D-4400

1/2" INDUSTRIAL REVERSIBLE AIR DRILL
CAPACITY : 13mm

700RPM



D-46

5/8" AIR INDUSTRIAL REVERSIBLE DRILL
CAPACITY:16mm

1000RPM



4030
4030C

4030
3/8" CHUCK & KEY
4030C
3/8" KEYLESS CHUCK



4040
4040C

4040
1/2" CHUCK & KEY
4040C
1/2" KEYLESS CHUCK

AIR GRINDER & AIR DIE GRINDER



AG-36 (4")
AG-37 (5")

ANGLE AIR GRINDER
(LEVER TYPE) 11000RPM

AG-36 (4")
AG-37 (5")



AG-36G (4")
AG-37G (5")

ANGLE AIR GRINDER
(ROLL TYPE) 11000RPM

AG-36G (4")
AG-37G (5")



AG-41 (7")
AG-41G (7")

7" HEAVY DUTY ANGLE AIR GRINDER
7000RPM

AG-41 (LEVER TYPE)
AG-41G (ROLL TYPE)



AG-44L
AG-45L **AG-47L**

INDUSTRIAL ANGLE AIR GRINDER (LEVER TYPE)

AG-44L (4") 13600RPM
AG-45L (5") 10900RPM
AG-47L (7") 7600RPM



AG-44G
AG-45G **AG-47G**

INDUSTRIAL ANGLE AIR GRINDER (ROLL TYPE)

AG-44G (4") 13600RPM
AG-45G (5") 10900RPM
AG-47G (7") 7600RPM



VG-44 (7")
VG-90 (9")

HEAVY DUTY VERTICAL AIR GRINDER

VG-44 (7") 7000RPM
VG-90 (9") 6000RPM



G-305 (5")
G-306 (6")

STRAIGHT AIR GRINDER
(LEVER TYPE)

G-305 (5") 7600RPM
G-306 (6") 6900RPM



G-38

3" STAIGHT AIR GRINDER
(LEVER TYPE)

12000RPM



MG-70
MG-80

1/8" (3mm)
MICRO GRINDER

MG-70 54000RPM
MG-80 70000RPM



MG-01

3mm INDUSTRIAL , MICRO GRINDER,0.1HP,5mm CARBIDE BURR,8mm DIAMOND PIN.
(ROLL TYPE)

60000RPM



G-32M
G-32FM

1/4" (6mm)
MINI DIE GRINDER

G-32M REAR EXHAUST
G-32FM FRONT EXHAUST
25000RPM



G-32MK

1/4"(6mm)DIE GRINDER
(G-32M) KIT



G-33M
G-33FM

1/4"(6mm) DIE GRINDER

G-33M REAR EXHAUST
G-33FM FRONT EXHAUST
22000RPM



G-33MK

1/4"(6mm) DIE GRINDER
(G-33M) KIT

2200RPM



G-33LM

1/4"(6mm)
EXTENDED DIE GRINDER
REAR EXHAUST

25000RPM



G-34M
G-34FM

1/4"(6mm) MINI ANGLE DIE GRINDER

G-34M REAR EXHAUST
G-34FM FRONT EXHAUST
20000RPM

AIR DIE GRINDER & AIR GREASE GUN



DG-37

2" ANGLE DIE SANDER

15000RPM



DG-30M

**1/4" (6mm)
AIR DIE GRINDER**

28000RPM



DG-32M

**1/4" (6mm)
AIR DIE GRINDER**

18000RPM



DG-34M

**1/4" (6mm)
AIR DIE GRINDER
3"LONG EXTENSION**

28000RPM



DG-36M

**1/4"(6mm)
ANGLE DIE GRINDER**

20000RPM



B-40

**AIR CAULKING GUN
(METAL BODY)**



B-41

**AIR CAULKING GUN
(PLASTIC BODY)**



Collet For Die Grinder

3301 - 1/4" 3302 - 1/8"
3303 - 6mm 3304 - 3mm



B-36

B-36L

B-36-6

B-36L-6

AIR GREASE GUN

B-36(400CC / 14OZ)

B-36L(500CC / 16OZ)

AIR GREASE GUN KIT

B-36-6(400CC / 14OZ)

B-36L-6(500CC / 16OZ)



B-400

B-400C

B-400 (SINGLE SHOT)

B-400C (CONTINUOUS SHOT)

(400CC / 14OZ)KIT



B-401C

B-401 (CONTINUOUS)

(400CC / 14OZ)KIT



B-10

AIR BODY SAW
(FRONT EXHAUST)
CUTTING CAPACITY
(STEEL) : 2.9mm
9000BPM



B-11

AIR BODY SAW
(FRONT EXHAUST)
CUTTING CAPACITY
(STEEL) : 1.6mm
9000BPM



B-11K

AIR BODY SAW
(B-11) KIT



B-12

AIR BODY SAW
(REAR EXHAUST)
CUTTING CAPACITY
(STEEL):1.6mm
9000BPM



B-13

AIR BODY SAW & FILE
(FRONT EXHAUST)
CUTTING CAPACITY
(STEEL) : 1.6mm
5000BPM



B-08

AIR BODY SAW & FILE
(FRONT EXHAUST)
CUTTING CAPACITY
(STEEL) : 1.6mm
7000BPM



B-07

**VIBRATION REDUCED AIR
BODY SAW** (REAR EXHAUST)
CUTTING CAPACITY
(STEEL) : 1.6mm
10000BPM



SAW BLADE

14T / 18T / 24T / 32T



HJ-01

AIR HANDY JIGSAW
CUTTING CAPACITY
(STEEL):1.6mm
ALUM. : 2.0mm
WOOD : 4.0mm 8000BPM



CS-01

MINI CIRCULAR SAW
MAX BLADE DIA. : 105mm
8000BPM




B-14

AIR KNIFE
(REAR EXHAUST)
20000BPM



B-14K

AIR KNIFE
(B-14) KIT.



6014-08-1
A-57mm
B-90mm



6014-08-2
A-16mm
B-36mm
C-53mm
D-90mm
E-24mm



6014-08-3
A-30mm



6014-08-4
A-8mm



6014-08-5
A-35mm



6014-08-6
A-35mm



6014-08-7
A-35mm



6014-08-8
A-24mm

Knife



B-72 B-73

AIR NIP PER
B-72 CUTTING CAPACITY
COPPER : 1mm PLASTIC : 2mm
SEEL : 0.5mm
B-73 COPPER : 1.6mm
PLASTIC : 4mm STEEL : 1.0mm



B-74

AIR TERMINAL CRIMPER
CAPACITY COPPER : 4.8mm
STEEL : 4.0mm
STAINLESS : 2.8mm

AUTO BODY TOOL



B-27
B-271R

CUTTING WHEEL:76mm
B-27 3" AIR CUT-OFF TOOL
 20000RPM
B-271R 3" COMPOSITE AIR
 CUT-OFF TOOL
 21000RPM



B-20
B-21

METAL SHEAR
 CUTTING CAPACITY
 STEEL : 1.2mm
 ALUM. :1.4mm 2500RPM
B-20 STRAIGHT TYPE.
B-21 PISTOL TYPE.



B-22

STRAIGHT AIR SCISSOR
 CUTTING CAPACITY
 STEEL :1.2mm
 ALUM. :1.4mm
 2500RPM



B-281R

COMPOSITE AIR SCISSOR
 CUTTING CAPACITY
 STEEL :1.2mm
 ALUM. :1.6mm
 PISTOL TYPE
 2600RPM



B-54

AIR SPOT DRILL
 DRILL BIT: 6.5 OR 8mm
 1800RPM



B-54H

AIR SPOT DRILL
 (WITH 2" HOOK)
 DRILL BIT: 6.5 OR 8 mm
 1600RPM



B-54HK

AIR SPOT DRILL
 (B-54H) KIT
 (WITH 2" HOOK)



Drill Bit For Spot Drill
 5446B-8mm
 5446A-6.5mm



B-51

AIR SPOT DRILL
 DRILL BIT: 8mm
 1200RPM



B-52
B-52A

AIR PUNCH & FLANGE
 CAPACITY : STEEL:1.4mm,
 ALUM. : 1.6mm
B-52 PUNCH DIA. : 5mm
B-52A PUNCH DIA. : 8mm



B-25

AIR NIBBLER (PUSH TYPE)
 CUTTING CAPACITY
 STEEL : 1.4mm
 ALUM. : 2.0mm
 2900RPM



B-26
B-26-1

AIR NIBBLER (PULL TYPE)
 CAPACITY : STEEL 1.4mm
 ALUM 2.0mm
B-26 2900RPM
B-26-1 3200RPM



B-34

SMART ERASER,
 2500RPM



B-55

TIRE BUFFER
 2500RPM



S-001

DOUBLE SUCTION
CUP SET
 CAPACITY : 160 KGS.



S-002
S-004

S-002
SUCTION CUP
 CAPACITY : 40 KGS.
S-004
SUCTION CUP (ALUMINUM)
 CAPACITY : 20 KGS.

AIR SANDER & POLISHER



S-39

MINI SANDER
(NON-ORBITAL)
PAD SIZE : 2"/3"/5",

16000RPM



S-39A

2" AIR SANDER
ORBITAL: 3mm

16000RPM



S-55

3" COMPOSITE RANDOM ORBITAL SANDER
ORBITAL:3mm

16000RPM



S-71

3" MINI POLISHER

2000RPM



S-12

5" HIGH SPEED SANDER
PAD SIZE:3"/4-1/2"/5"

18000RPM



S-15

6" DUAL ACTION SANDER
ORBITAL:5mm

9000RPM



S-15P

6" HEAVY DUTY DUAL ACTION AIR SANDER
ORBITAL:5mm

9000RPM



S-44-5
S-44-6

5" SELF-GENERATED VACUUM RANDOM ORBITAL SANDER
ORBITAL:5mm 10000RPM
S-44-5 5" PAD
S-44-6 6" PAD



S-45A-5
S-45A-6

NON-VACUUM RANDOM ORBITAL SANDER

ORBITAL : 5mm
S-45A-5 5" PAD 9000RPM
S-45A-6 6" PAD 9000RPM
9000RPM



S-51
S-52

NON-VACUUM RANDEER ORBITAL SANDER

ORBITAL:5mm
S-51 5" PAD 10000RPM
S-52 6" PAD 10000RPM
10000RPM



S-60V-5
S-600V-5

SELF-GENERATED VACUUM RANDOM ORBITAL SANDER
ORBITAL:5mm

S-60V-5 5" PAD 10000RPM
S-600V-5 5" PAD 12000RPM



S-60VC-6
S-600VC-6

CENTRAL-VACUUM RANDOM ORBITAL SANDER
ORBITAL:5mm

S-60VC-6 6" PAD 10000RPM
S-600VC-6 6" PAD 12000RPM



S-75V-5
S-75V-6

SELF-GENERATED VACUUM RANDOM ORBITAL SANDER

ORBITAL:5mm 10000RPM
S-75V-5 5" PAD
S-75V-6 6" PAD



S-31-5
S-31-6

VERTICAL SANDER
(NON-ORBITAL)

2700RPM

S-31-5 5" VELCRO PAD.
S-31-6 6" VELCRO PAD.



S-70

7" VERTICAL SANDER

2000RPM



S-73
S-74

7" ANGLE SANDER
4500RPM

S-74
7" ANGLE POLISHER
2500RPM

AIR SANDER



S-116

3" NON-VACUUM RANDOM ORBITAL SANDER
ORBITAL: 5mm

10000RPM

**S-17
S-17S
S-17LS**

AIR PALM SANDER

S-17 ORBITAL: 1.6mm PAD: 100X110mm 20000RPM	S-17S ORBITAL: 1.2mm PAD: 75X82mm 15000RPM
---	--

LINEAR SANDER

S-17LS
STROKE: 4mm
PAD: 57X100mm
13000RPM



S-18

JITTERBUG SANDER
ORBITAL: 4mm
PAD: 90X197mm

8000RPM



S-10

JITTERBUG SANDER (NON-VACUUM)
ORBITAL: 5mm
PAD: 76X152mm

8000RPM



S-26

SELF-GENERATED VACUUM HEAVY DUTY JITTERBUG SANDER
ORBITAL: 5mm
PAD: 176X93mm
7000RPM



S-114

JITTERBUG SANDER (NON-VACUUM)
ORBITAL: 3mm
PAD: 110X110mm

10000RPM



S-19

STRAIGHT LINE AIR SANDER
PAD: 64X406mm

2300BPM



BS-09

AIR BELT SANDER
PAD: 10X330mm

16000RPM



BS-10

AIR BELT SANDER
PAD: 20X520mm

16000RPM



BS-07

BS-07 AIR BELT SANDER
PAD: 60X260mm 7000RPM
BS-07P ROLL POLISHER
15000RPM



**WS-46-5
WS-46-6**

5" WATER SANDER
ORBITAL: 5mm
10000RPM
WS-46-5 5" PAD.
WS-46-6 6" PAD.



WS-55

5" WATER ANGLE SANDER
PAD: 3"/5"

4200RPM



WS-77

7" WATER ANGLE SANDER

3000RPM



5" (6") SANDING PAD VELCRO OR VINYL
5" SANDING PAD 5 (6) HOLES VELCRO OR VINYL



(6") SANDING PAD 6HOLE VELCRO OR VINYL

MATERIAL: FRP OR NYLON

AIR HAMMER



H-11/R
H-11/H

150mm AIR HAMMER
4500BPM

H-11 / R (ROUND)
H-11 / H (HEX)



H-10/R
H-10/H

150mm AIR HAMMER
W/ 4PCS. 5" CHISEL
4500BPM

H-10 / R (ROUND)
H-10 / H (HEX)



H-12/R
H-12/H

190mm AIR HAMMER
3000BPM

H-12 / R (ROUND)
H-12 / H (HEX)



H-12K/R
H-12K/H

10PCS. 190mm AIR HAMMER
(H-12/R) W/ 5PCS 7" CHISEL

H-12K / R (ROUND)
H-12K / H (HEX)



H-20/R
H-20/H

190mm AIR HAMMER
W/ 4PCS. 5" CHISEL
3000BPM

H-20 / R (ROUND)
H-20 / H (HEX)



H-20K/R
H-20K/H

9PCS. 190mm
AIR HAMMER KIT

AT-2020K / R (ROUND)
AT-2020K / H (HEX)



H-13/R
H-13/H

250mm AIR HAMMER
2200BPM

H-13 / R (ROUND)
H-13 / H (HEX)



H-30/R
H-30/H

250mm AIR HAMMER
W/ 4 PCS. 5" CHISEL
2200BPM

H-30 / R (ROUND)
H-30 / H (HEX)



RETAINER

For H-11 / H-12 / H-13



NS-71

**NEEDLE SCALER
ATTACHMENT**



CH-100/R
CH-100/H

MINI CHIPPING HAMMER WITH
QUICK CHANGE RETAINER
CH-100 / R (ROUND)
CH-100 / H (HEX)
3000BPM



CH-110/R
CH-110/H

MINI CHIPPING HAMMER WITH
W/ RETAINER SPRING
CH-110 / R (ROUND)
CH-110 / H (HEX)
3000BPM



CH-104/R
CH-104/H

4" CHIPPING HAMMER
1500BPM

CH-104 / R (ROUND)
CH-104 / H (HEX)

CH-101 / H , **CH-101 / R**
1" CHIPPING HAMMER 2820BPM
CH-102 / H , **CH-102 / R**
2" CHIPPING HAMMER 2400BPM
CH-103 / H , **CH-103 / R**
3" CHIPPING HAMMER 1920BPM



RETAINER

AT-100A , **AT-100B** , **AT-100C**
For CH-100 / CH-110

AT-110A
For CH-101 / CH-102 / CH-103



RH-202
RH-203
RH-204

**AIR RIVETING HAMMER
(PUSH-BUTTON)**

1740BPM
H-202 2" , 2580BPM
H-203 3" , 2160BPM
H-204 4" , 1740BPM

AIR NEEDLE SCALER, FLUX CHIPPER & CONCRETE BREAKER



NS-500

AIR NEEDLE SCALER
3800BPM



NS-501

AIR NEEDLE SCALER
4600BPM



NS-513

AIR NEEDLE SCALER
4000BPM



NS-503

AIR NEEDLE SCALER
PISTOL TYPE
3500BPM



NS-504

AIR NEEDLE SCALER
PISTOL TYPE
2500BPM



NS-505

AIR NEEDLE SCALER
PISTOL TYPE
3700BPM



FC-501

AIR FLUX CHIPPER
2700BPM



FC-502

AIR FLUX CHIPPER
2700BPM



AT-120A

CB-10S



AT-130A

CB-30S

CONCRETE BREAKER

CB-10S

PISTON DIA : 35mm. STROKE : 151mm ,1300BPM

CB-30S

PISTON DIA : 40mm. STROKE : 235mm ,1000BPM



SH-72



SH-73



SH-74

SH-72 AIR SCALING HAMMER(ROLL TYPE)
7000BPM

SH-73 AIR SCALING HAMMER(LEVER TYPE)
2400BPM


SH-74 AIR LONG REACH SCRAPER
2400BPM

AIR RIVETER & AIR CONTROL UNIT



R-15

3/16" (4.8mm) AIR-HYDRAULIC RIVETER
TRACTION POWER : 1870LBS



R-15K



R-15A

3/16" (4.8mm) AIR-HYDRAULIC RIVETER
TRACTION POWER : 2000LBS



R-16

3/16" (4.8mm) AIR-HYDRAULIC RIVETER
TRACTION POWER : 1980LBS



R-17

1/4" (6.4mm) AIR-HYDRAULIC RIVETER
TRACTION POWER : 2950LBS



R-18

9/32" (7.1mm) HEAVY DUTY AIR-HYDRAULIC RIVETER
TRACTION POWER : 5500LBS



PS-1003

AIR RIVET NUT TOOL
CAPACITY : 3-8 MM



PS-1005

AIR RIVET NUT TOOL
CAPACITY : 3-12 MM
TRACTION POWER : 4800 LBS



PS-1005A

AIR RIVET NUT TOOL
CAPACITY : 4-12 MM
TRACTION POWER : 6000LBS



AC-1010M
AC-2010

FR-L AIR CONTROL UNIT

AC-1010M 1/4" (1/8") MAX FLOW: 980 l/min
AC-2010 3/8" (1/2") MAX FLOW: 1200 l/min



AC-2032
AC-2033
AC-2034

FR-L AIR CONTROL UNIT

AC-2032 1/4" MAX FLOW: 1750 l/min.
AC-2033 3/8" MAX FLOW: 2500 l/min.
AC-2034 1/2" MAX FLOW: 3000 l/min.

AC-2420
AC-2030
AC-2040A
AC-2060A

FR-L AIR CONTROL UNIT


AC-2420 1/4", MAX FLOW: 1000 l/min.
AC-2030 3/8", MAX FLOW: 1350 l/min.
AC-2040A 1/2", MAX FLOW: 3000 l/min.
AC-2060A 3/4", MAX FLOW: 3100 l/min.



AC-2120
AC-2130 **AC-2140**

AIR FILTER REGULATOR & LUBRICATOR

AC-2120 1/4" MAX FLOW: 1000 l/min.
AC-2130 3/8" MAX FLOW: 1350 l/min.
AC-2140 1/2", MAX FLOW: 3000 l/min.



AC-2000

AIR FILTER REGULATOR & LUBRICATOR

AC-2000 1/2" (3/8")
MAX FLOW: 1250 l/min.

AIR BRUSH KIT & MINI COMPRESSOR



AB-1001

AIR BRUSH KIT
CUP:22CC & 60CC



AB-1002

AIR BRUSH KIT
CUP:22CC & 60CC



AB-1004

AIR BRUSH KIT
CUP: 7CC



AB-1007

AIR BURSH KIT
CUP: 7CC



PAINT JAR
BUILD-IN MIXER
(22CC)



WS-02
Air Inlet (1/4")
Outlet (1/4")



MA-1300

1/8HP
MINI AIR COMPRESSOR
4P MOTOR.
DISPLACEMENT:48L/MIN.

MA-5000

1/10HP
MINI AIR COMPRESSOR
4P MOTOR.
DISPLACEMENT:57L/MIN.



MA-5250

1/8HP
MINI AIR COMPRESSOR
DISPLACEMENT:20L/MIN.



AIR SCREWDRIVER



SD-50A

1/4" INTERNAL ADJUSTABLE CLUTCH AIR SCREWDRIVER

TYPE TORQUE : 2.2FT-LB(3N-m)
CAPACITY:4mm
1700RPM



SD-50AK

SD-50A KIT



SD-52

1/4" ANGLE INTERNAL ADJUSTABLE CLUTCH AIR SCREWDRIVER

TORQUE : 3FT-LB(4N-m)
CAPACITY:5mm
1650RPM



SD-53 1800RPM SD-54 800RPM

1/4" POSITIVE CLUTCH AIR SCREWDRIVER (EXTERNAL ADJUSTABLE)
CAPACITY : 6mm

SD-53 TORQUE : 3.7~9.6FT-LB(5-13N-m)
SD-54 TORQUE:3.7~11.8FT-LB(5-16 N-m)



SD-56 1800RPM SD-57 800RPM

1/4" INTERNAL ADJUSTABLE CLUTCH AIR SCREWDRIVER
CAPACITY:6mm

SD-56 TORQUE:3.7~9.6FT-LB(5-13N-m)
SD-57 TORQUE:3.8~11.8FT-LB(5-16N-m)



SD-60A

1/4" AIR SCREWDRIVER(TWO HAMMER) W/ QUICK CHANGE CHUCK

TORQUE:26FT-LB(35N-m)
CAPACITY:4-5mm
10000 RPM



SD-60AK

SD-60A KIT.



SD-61

1/4" AIR SCREWDRIVER (TWO HAMMER) PUSH TO START
TORQUE : 22FT-LB(30N-m)
CAPACITY : 4mm

9000RPM



SD-68

1/4" AIR SCREWDRIVER (TWO HAMMER)
TORQUE:26FT-LB(35N-m)
CAPACITY:4-5mm.
13000RPM



SD-68K

SD-68 KIT.



SD-69

1/4" AIR SCREWDRIVER (TWO HAMMER)
TORQUE:148FT-LB(201N-m)
CAPACITY: 6mm
7500RPM



SD-69K

SD-69 KIT.



SD-70A

1/4" AIR IMPACT SCREWDRIVER (TWO HAMMER)
TORQUE : 148FT-LB(201N-m)
CAPACITY : 6mm
8000RPM



SD-72

1/4" AIR IMPACT SCREWDRIVER (TWO HAMMER)
TORQUE:148FT-LB(200N-m)
CAPACITY:6-8mm
8500RPM



SD-83

SD-83 AIR IMPACT SCREWDRIVER
I-305 3/8" AIR IMPACT WRENCH
TORQUE:148FT-LB(201N-m)
CAPACITY : 6~8 mm
8500RPM



SD-4500

1/4" INTERNAL ADJUSTABLE CLUTCH AIR SCREWDRIVER
TORQUE : 2.2FT-LB(3N-m)
CAPACITY : 4mm
2200RPM

AIR SCREWDRIVER & BITS



SD-80 1800RPM
SD-81 800RPM

1/4" INTERNAL ADJUSTABLE CLUTCH AIR SCREWDRIVER
SD-80
TORQUE:3.7~9.6FT-LB(5-13N-m)
SD-81
TORQUE:3.7~11.8FT-LB(5-16N-m)



SD-80E
SD-81E

1/4" EXTERNAL ADJUSTABLE CLUTCH AIR SCREWDRIVER
SD-80E
TORQUE:3.7~9.6FT-LB(5-13N-m)
SD-81E
TORQUE:3.7~11.8FT-LB(5-16N-m)



SD-6SL

1/4" STRAIGHT INDUSTRIAL SCREWDRIVER(TWO HAMMER)
WORKING TORQUE : 33FT-LB(45Nm)
MAX TORQUE : 148FT-LB(201N-m)
8300RPM



SD-6SSLD

1/4" STRAIGHT INDUSTRIAL SCREWDRIVER (TWO HAMMER)
TORQUE : 7.4~13.3FT-LB(10~18N-m)
8000RPM



SD-6SLD

1/4" STRAIGHT INDUSTRIAL SCREWDRIVER (TWO HAMMER)
PISTOL TYPE
TORQUE : 7.4~13.3FT-LB(10~18N-m)
8000RPM



SD-ST2212

AIR SCREWDRIVER,PUSH TO START, BUTTON-REVERSE, TORQUE EXTERNAL ADJUSTABLE.
TORQUE:1.48~3.3FT-LB(2.0~4.4N-m)
BIT:6.35mm 1200RPM



SD-ST1015

AIR SCREWDRIVER,PUSH TO START, BUTTON-REVERSE, TORQUE EXTERNAL ADJUSTABLE. BIT HEX :6.35mm(1/4") OR 5mm.
TORQUE:0.3~0.74FT-LB(0.4-1.0N-m)
1500RPM



SD-ST1811

AIR SCREWDRIVER,PUSH TO START, BUTTON-REVERSE, TORQUE EXTERNAL ADJUSTABLE. BIT HEX : 6.35mm(1/4") OR 5mm.
TORQUE:0.74~2.6FT-LB(1.0-3.5N-m)
1100RPM



T55LB

INDUSTRIAL SCREWDRIVER, LEVER HANDLE START-SHUT OFF TYPE.
MACHINE SCREW DIA. : M2.9~M6.4.
TAPPING SCREW DIA. : M2.6~M5.4.
TORQUE:7-65Kgf-cm, 1000RPM



T55PB

STRAIGHT HANDLE PUSH START-SHUT OFF TYPE.
MACHINE SCREW DIA. : M2.9~M6.4.
TAPPING SCREW DIA. : M2.6~M5.4.
TORQUE:7-65Kgf-cm, 1000RPM



R55PBP

INDUSTRIAL SCREWDRIVER, PISTOL HANDLE, PUSH OR TRIGGER START-SHUT OFF TYPE.
MACHINE SCREW DIA.:M3.8~M6.6
TAPPING SCREW DIA.:M3.0~M5.4
TORQUE:12~75 kgf-cm. 1000RPM



R55BBP

INDUSTRIAL SCREWDRIVER, PISTOL HANDLE, TRIGGER START-SHUT OFF TYPE.
MACHINE SCREW DIA.:M3.8~M6.6
TAPPING SCREW DIA.:M3.0~M5.4
1000RPM



BITS

AIR NAILER & STAPLER

R-45

ROOFING COIL NAILER
SHANK : 3.05mm
LENGTH : 22~45mm.



C-70

COIL NAILER
SHANK : 2.3~2.9mm
LENGTH : 45~70mm



DA-65

ANGLE NAILER
SHANK:1.8mm
LENGTH:32~65mm



S-2190

21 DEGREE HEAVY DUTY FRAMING STICK ANGLE NAILER.

SHANK:2.87~3.33mm
LENGTH:50-90mm

S-2190 21 DEGREE , **S-2890** 28 DEGREE , **S-3490** 34 DEGREE



AN-T64

METAL & CONCRETE NAILER
SHANK:2.2mm
LENGTH:18-64mm



AP-0621 AP-1032

23 GAUGE MINI PINNER
SHANK:0.64*0.64mm
AP-0621 LENGTH:12~25mm.
AP-1032 LENGTH:12~35mm.




**CS-3218
CS-3519**

AIR DRIVE CARTON STAPLER

CS-3218 SHANK : 32 mm, LENGTH : 16 & 19mm.

CS-3519 SHANK : 34.7mm, LENGTH : 16 & 19mm.



HS-3218 HS-3519

HAND DRIVE CARTON STAPLER

HS-3218 SHANK:32mm

LENGTH: 16 & 19mm

HS-3519 SHANK:34.7mm

LENGTH: 16 & 19mm



F-1664

16 GAUGE BRAD NAILER
SHANK:1.6*1.4mm
LENGTH:20~64mm.



F-1650

16 GAUGE BRAD NAILER
SHANK:1.6*1.4mm
LENGTH:15~50mm



F-1832

18 GAUGE BRAD NAILER
SHANK:1.25*1.0mm
LENGTH:15~32mm



F-1850

18 GAUGE BRAD NAILER
SHANK:1.25*1.0mm
LENGTH:15~50mm



AIR NAILER & STAPLER

AN-16851

16 GAUGE HEAVY DUTY STAPLER


SHANK : 1.6*1.4mm
CROWN : 11.2mm
LENGTH : 25~51mm



AN-9040

18 GAUGE HEAVY DUTY STAPLER

SHANK : 1.25*1.0mm
CROWN : 5.8mm
LENGTH : 13~40mm



AN-413J / AN-422J AN-425J / AN-1013J AN-1022J / AT-1025J

20 GAUGE STAPLER SHANK:1.2*0.6mm

AT- 413J / AT- 422J / AT- 425J

CROWN: 5.2mm LENGTH: 13 /22 /25mm

AT-1013J / AT-1022J / AT-1025J

CROWN: 11.2mm LENGTH: 13 /22 /25mm



AN-80/16

21 GAUGE STAPLER

SHANK : 0.95*0.65mm

CROWN : 12.8mm

LENGTH : 6-16mm




AN-71/16

22 GAUGE STAPLER

SHANK : 0.75*0.6mm

CROWN : 9.1mm

LENGTH : 6-16mm



NAILS:

STRAIGHT BRAD NAILS
ANGLE BRADS NAILS
HEADLESS NAILS
COIL NAILS
ROOFING COIL NAIL

STAPLES:

NARROW CROWN STAPLES
MEDIUM CROWN STAPLES
WIDE CROWN STAPLES
CARTON STAPLES

AIR SPRAY GUN & PAINT TANK



SG-40

**AIR SPRAY GUN
(SUCTION TYPE)
CUP CAPACITY:1000CC**



SG-41

**AIR SPRAY GUN
(SUCTION TYPE)
CUP CAPACITY:1000CC**



SG-05

**HVLP AIR SPRAY GUN
(SUCTION TYPE)
CUP CAPACITY:1000CC**



SG-92

**HVLP AIR SPRAY GUN
(SUCTION TYPE)
CUP CAPACITY:1000CC**



SG-01

**AIR SPRAY GUN
(GRAVITY TYPE)
CUP CAPACITY:125CC**



SG-02

**AIR SPRAY GUN
(GRAVITY TYPE)
CUP CAPACITY:600CC**



SG-21G

**AIR SPRAY GUN
(GRAVITY TYPE)
CUP CAPACITY: 400CC**



SG-04

**HVLP AIR SPRAY
GUN (GRAVITY TYPE)
CUP CAPACITY:600CC**



SG-70

**PROFESSIONAL
EASY-HOLD PAINT
SPRAY OUTFIT (2.0L)
STANDARD NOZZLE :1.0mm**



SG-80

**INDUSTRIAL PAINT
SPRAY OUTFIT (10L)**



AR-11

1/4" AIR REGULATOR



AR-20

1/4" AIR REGULATOR.



AS-80T

10L PAINT TANK.



AT-40T

**40L PAINT TANK
AUTO AGITATING TYPE.**

10L / 20L / 30L / 60L / 80L



AT-40M

**40L
PAINT TANK
MANUAL TYPE.**

10L / 20L / 30L / 60L / 80L



SA-1005

**17PCS
SPRAY GUN
CLEANING KIT.**

AIR ACCESSORIES

SPRING BALANCER



- SB-03** SPRING BALANCER (0.6~1.5KGS)
- SB-03A** SPRING BALANCER (0.3~0.8KGS)
- SB-04A** SPRING BALANCER (1.0~2.0KGS)
- SB-04B** SPRING BALANCER (1.5~3.0KGS)
- SB-07** SPRING BALANCER (3.0~5.0KGS)

SB-15



SPRING BALANCER
(9.0~15.0KGS)

DG-06 DG-06-3



DG-06
AIR BLOW GUN (4")

DG-06-3
AIR BLOW GUN (13")

DG-10



DG-10
AIR DUSTER (1")

DG-10-2
AIR DUSTER (4")

DG-06R



DG-06R AIR ADJUSTABLE
BLOW GUN (4")

DG-06R-3 AIR ADJUSTABLE
BLOW GUN (13")

AIR ADJUSTABLE BLOW GUN (4") AG-00



**AIR ENGINE
CLEANING GUN**
CUP:700 CC

AG-05



AIR WONDER GUN KIT

TG-00



**TIRE INFLATOR
W/GAUGE**

TG-01A



TIRE INFLATOR

TG-02



**TIRE INFLATOR
W/GAUGE**

TG-06



TIRE INFLATOR

HB-05



**HANDY PU AIR
HOSE REEL**
HOSE ID:5mm
L:25FT(7.5M)

HB-06



**AIR HOSE
BALANCER**
HOSE ID:5mm
L:1.2M

ELECTRIC SCREWDRIVER



Model No.	Torque range		
	kgf-cm	lbf-in	Available screw
ET-7000	7.0~20.0	6.1~17.4	3.0~4.0MM
ET-7500	7.0~30.0	6.1~26.0	3.0~5.0MM
ET-8000	12.0~30.0	10.4~26.0	3.5~5.0MM
ET-8500	12.0~40.0	10.4~34.7	3.5~5.5MM
ET-9000	20.0~50.0	17.3~43.4	4.0~6.0MM

ET-7000R ET-7000 ANGLE TYPE
ET-8000R ET-8000 ANGLE TYPE



Model No.	Torque range		
	kgf-cm	lbf-in	Available screw
ESDN-6000	2.0~16.0	1.7~13.9	2.2~4.2MM
ESDN-6500	4.0~20.0	3.5~17.4	2.6~4.0MM
ESDN-6800	5.0~25.0	4.3~21.7	3.0~5.0MM




Model No.	Torque range		
	kgf-cm	lbf-in	Available screw
ET-4500	1.5~10.0	1.30~8.7	2.0~3.0MM



Model No.	Torque range		
	kgf-cm	lbf-in	Available screw
ET-6000	1.5~12.0	1.3~10.4	2.0~3.0MM
ET-6500	4.0~20.0	3.5~17.4	2.6~4.0MM

Attachment of electric screwdriver (Optional)



Attachment of electric screwdriver (Optional)



Right angle head



Balancer

Model	Load		Extend L.
	kgs	lbs	
AA-1097	0.5-1.2	1.1-2.6	1.6 m



Patented multifunction screw kit box



Torque cover



MAG-O-NETS

ID

7 mm
6 mm
3/16"



APS (APM) POWER SUPPLY

100 ~ 240V
20 ~ 30V
(Adjustable)



AT-1050
Adjustable screw feeder



Gun type-grip



AM Series POWER SUPPLY
Digitalized Management System

100 ~ 240V
20 ~ 30V
(Adjustable)